

Internet Based Measurement of Visual Expertise in Radiological Skill

THIRKETTLE, Martin <<http://orcid.org/0000-0002-6200-3130>>, STAFFORD, Tom and OFFIAH, Amaka

Available from Sheffield Hallam University Research Archive (SHURA) at:

<http://shura.shu.ac.uk/22972/>

This document is the author deposited version. You are advised to consult the publisher's version if you wish to cite from it.

Published version

THIRKETTLE, Martin, STAFFORD, Tom and OFFIAH, Amaka (2015). Internet Based Measurement of Visual Expertise in Radiological Skill. *Perception*, 44, 44-45.

Copyright and re-use policy

See <http://shura.shu.ac.uk/information.html>

Internet Based Measurement of Visual Expertise in Radiological Skill

Martin Thirkettle¹, Tom Stafford², Amaka Offiah³


¹ martin.thirkettle@open.ac.uk, Department of Psychology, The Open University, UK,

² t.stafford@sheffield.ac.uk, Department of Psychology, University of Sheffield, UK

³ a.offiah@sheffield.ac.uk, Academic Unit of Child Health, Sheffield Children's NHS Foundation Trust, UK

Introduction

- Expert radiologists exhibit exquisite levels of detection and diagnostic accuracy from single views of radiology images.
- Trainee radiologists must develop this skill during training
- Repeated testing of trainees and testing of expert consultants is impeded by practical constraints of traditional testing methods
- New platforms allow testing to be moved online and rich data to be collected from novel testing protocols.



The Task

- Task was first developed using matlab and then implemented in Qualtrics using custom Javascript
- Participants are asked whether they think any abnormalities are present in the image (6 point scale)
- If any abnormalities are suspected, participants must click on image in location(s) of abnormality.
- Decision, Decision time, Location of clicks, time of clicks and order of clicks all recorded
 - Time measure is page-load time to click
- Full library of images assessed by 12 consultant radiologists via web-link
 - o Consultants recruited from across europe
 - o Consultants permitted to break and return to study throughout their participation
- Sub-set of 30 images also assessed by 41, 3rd – 5th year UoS medical students, using web-link

Measure	Consultants	Med Students	p Value
Decision Time (sec)	30.6 (17.0)	11.7 (5.6)	0.6
Localisation Time (sec)	12.2 (5.7)	7.2 (4.7)	<0.01
Localisation Error (pix)	27.3 (11)	90.8 (44.4)	<0.01
Number of Clicks	2 (0.4)	1.8 (1)	<0.001

Results

- Consultants (experts) are far more accurate in identifying abnormalities, and far more precise in locating them than med-students (skilled novices)
 - This is in line with previous literature
- Consultants took longer than med-students to make decision
 - This is contrary to previous literature
- Web-based measures can produce valid measurements of cognitive abilities in special populations on real-world tasks



The Image Library

- 134 paediatric musculoskeletal radiographs
- Selected from 3,000 over a 6-year period (2008 to 2013)
- Interpreted by Consultant paediatric radiologist & student
 - o Interpretation made with clinical report
 - o Reference judgement and locations recorded
- Classified as
 - o Easy (45); Intermediate (46); Difficult (43)
 - o 16 abnormality free images included

